



Contents lists available at ScienceDirect

Animal Feed Science and Technology

journal homepage: www.elsevier.com/locate/anifeedsci

Contents

Special Issue: Greenhouse Gases in Animal Agriculture – Finding a Balance between Food and Emissions

Preface

- Greenhouse gases in animal agriculture—Finding a balance between food production and emissions
T.A. McAllister, K.A. Beauchemin, S.M. McGinn, X. Hao and P.H. Robinson 1

Contribution of Livestock to Greenhouse Gases - A Global Perspective

- The significance of livestock as a contributor to global greenhouse gas emissions today and in the near future
F.P. O'Mara 7
- Greenhouse gas emission profiles of European livestock sectors
J.P. Lesschen, M. van den Berg, H.J. Westhoek, H.P. Witzke and O. Oenema 16
- A review of whole farm systems models of greenhouse gas emissions from beef and dairy cattle production systems
P. Crosson, L. Shalloo, D. O'Brien, G.J. Lanigan, P.A. Foley, T.M. Boland and D.A. Kenny 29
- Benchmarking of greenhouse gas emissions of bovine milk production systems for 38 countries
M. Hagemann, T. Hemme, A. Ndambi, O. Alqaisi and Mst. N. Sultana 46
- Comparison of methane production between C3 and C4 grasses and legumes
H. Archimède, M. Eugène, C. Marie Magdeleine, M. Boval, C. Martin, D.P. Morgavi, P. Lecomte and M. Doreau 59

Microbial Ecology of Methanogenesis

- Exploring rumen methanogen genomes to identify targets for methane mitigation strategies
G.T. Attwood, E. Altermann, W.J. Kelly, S.C. Leahy, L. Zhang and M. Morrison 65
- Molecular identification of rumen methanogens: Technologies, advances and prospects
M. Zhou, T.A. McAllister and L.L. Guan 76
- Analysis of archaeal ether lipids in bovine faeces
F.L. Gill, R.J. Dewhurst, R.P. Evershed, E. McGeough, P. O'Kiely, R.D. Pancost and I.D. Bull 87
- Inhibition of rumen methanogenesis by tea saponins with reference to fermentation pattern and microbial communities in Hu sheep
Y.Y. Zhou, H.L. Mao, F. Jiang, J.K. Wang, J.X. Liu and C.S. McSweeney 93
- Chloroform decreases rumen methanogenesis and methanogen populations without altering rumen function in cattle
T. Knight, R.S. Ronimus, D. Dey, C. Tootill, G. Naylor, P. Evans, G. Molano, A. Smith, M. Tavendale, C.S. Pinares-Patiño and H. Clark 101
- Effect of fibre- and starch-rich finishing diets on methanogenic *Archaea* diversity and activity in the rumen of feedlot bulls
M. Popova, C. Martin, M. Eugène, M.M. Mialon, M. Doreau and D.P. Morgavi 113
- Evaluation of rumen methanogen diversity in cattle fed diets containing dry corn distillers grains and condensed tannins using PCR-DGGE and qRT-PCR analyses
R. Mohammed, M. Zhou, K.A. Beauchemin and L.L. Guan 122
- Isolation and characterization of novel sulphate-reducing *Fusobacterium* sp. and their effects on *in vitro* methane emission and digestion of wheat straw by rumen fluid from Indian riverine buffaloes
S.S. Paul, S.M. Deb and D. Singh 132

Approaches to Measuring Greenhouse Gases From Livestock

- Towards a standard non-steady-state chamber methodology for measuring soil N₂O emissions
P. Rochette 141
- Losses of N₂O, CH₄ and NH₃ from a grass sward used for overwintering beef heifers
E. Salomon and L. Rodhe 147
- Use of blanks to determine *in vitro* net gas and methane production when using rumen fermentation modifiers
R.C. Araujo, A.V. Pires, G.B. Mourão, A.L. Abdalla and S.M.A. Sallam 155

Modifications of a gas production technique for assessing <i>in vitro</i> rumen methane production from feedstuffs A. Navarro-Villa, M. O'Brien, S. López, T.M. Boland and P. O'Kiely	163
<i>In vitro</i> rumen methane output of perennial ryegrass samples prepared by freeze drying or thermal drying (40 °C) P.J. Purcell, M. O'Brien, T.M. Boland and P. O'Kiely	175
Enteric methane emission rates determined by the SF ₆ tracer technique: Temporal patterns and averaging periods K.R. Lassey, C.S. Pinares-Patiño, R.J. Martin, G. Molano and A.M.S. McMillan	183
Post-experiment correction for release rate in permeation tubes improves the accuracy of the sulphur hexafluoride (SF ₆) tracer technique in deer N.M. Swainson, I.M. Brookes, S.O. Hoskin and H. Clark	192
A simple method for pre-calibration storage of sulphur hexafluoride permeation tubes M.H. Deighton, B.M. O'Loughlin, F. Buckley and T.M. Boland	198
Assessment of the sulphur hexafluoride (SF ₆) tracer technique using respiration chambers for estimation of methane emissions from sheep C.S. Pinares-Patiño, K.R. Lassey, R.J. Martin, G. Molano, M. Fernandez, S. MacLean, E. Sandoval, D. Luo and H. Clark	201
Repeatability of methane emissions from sheep C.S. Pinares-Patiño, J.C. McEwan, K.G. Dodds, E.A. Cárdenas, R.S. Hegarty, J.P. Koolgaard and H. Clark	210
Validation of a short-term methane measurement using portable static chambers to estimate daily methane production in sheep J.P. Goopy, R. Woodgate, A. Donaldson, D.L. Robinson and R.S. Hegarty	219
Micrometeorological techniques for measurement of enteric greenhouse gas emissions L.A. Harper, O.T. Denmead and T.K. Flesch	227
Comparison of open-circuit respiration chambers with a micrometeorological method for determining methane emissions from beef cattle grazing a tropical pasture N.W. Tomkins, S.M. McGinn, D.A. Turner and E. Charmley	240
Finding Approaches to Mitigating Methane Without Compromising Production	
Does the complexity of the rumen microbial ecology preclude methane mitigation? A.-D.G. Wright and A.V. Klieve	248
Influence of cold-pressed canola, brewers grains and hominy meal as dietary supplements suitable for reducing enteric methane emissions from lactating dairy cows P.J. Moate, S.R.O. Williams, C. Grainger, M.C. Hannah, E.N. Ponnampalam and R.J. Eckard	254
Effects of replacing barley grain in feedlot diets with increasing levels of glycerol on <i>in vitro</i> fermentation and methane production J.S. Avila, A.V. Chaves, M. Hernandez-Calva, K.A. Beauchemin, S.M. McGinn, Y. Wang, O.M. Harstad and T.A. McAllister	265
Glycerol as a feed supplement for ruminants: <i>In vitro</i> fermentation characteristics and methane production S.-Y. Lee, S.-M. Lee, Y.-B. Cho, D.-K. Kam, S.-C. Lee, C.-H. Kim and S. Seo	269
Effects of oral nitroethane administration on enteric methane emissions and ruminal fermentation in cattle E.G. Brown, R.C. Anderson, G.E. Carstens, H. Gutierrez-Bañuelos, J.L. McReynolds, L.J. Slay, T.R. Callaway and D.J. Nisbet	275
A meta-analysis of malate effects on methanogenesis in ruminal batch cultures E.M. Ungerfeld and R.J. Forster	282
Lowering ruminant methane emissions through improved feed conversion efficiency G.C. Waghorn and R.S. Hegarty	291
Methane emissions from grazing Angus beef cows selected for divergent residual feed intake F.M. Jones, F.A. Phillips, T. Naylor and N.B. Mercer	302
Can enteric methane emissions from ruminants be lowered without lowering their production? C. Grainger and K.A. Beauchemin	308
Linseed suppresses enteric methane emissions from cattle fed barley silage, but not from those fed grass hay Y.-H. Chung, M.L. He, S.M. McGinn, T.A. McAllister and K.A. Beauchemin	321
Dietary linseed and starch supplementation decreases methane production of fattening bulls M. Eugène, C. Martin, M.M. Mialon, D. Krauss, G. Renand and M. Doreau	330
Essential oils and opportunities to mitigate enteric methane emissions from ruminants C. Benchaar and H. Greathead	338
Garlic oil and its principal component diallyl disulfide fail to mitigate methane, but improve digestibility in sheep F. Klevenhusen, J.O. Zeitz, S. Duval, M. Kreuzer and C.R. Soliva	356
Effects of forage legumes containing condensed tannins on methane and ammonia production in continuous cultures of mixed ruminal microorganisms C.M. Williams, J.-S. Eun, J.W. MacAdam, A.J. Young, V. Fellner and B.R. Min	364
Effects of <i>Leucaena</i> condensed tannins of differing molecular weights on <i>in vitro</i> CH ₄ production X.D. Huang, J.B. Liang, H.Y. Tan, R. Yahya and Y.W. Ho	373
Evaluating effects of tannins on extent and rate of <i>in vitro</i> gas and CH ₄ production using an automated pressure evaluation system (APES) W.F. Pellikaan, E. Stringano, J. Leenaars, D.J.G.M. Bongers, S.v.L.-v. Schuppen, J. Plant and I. Mueller-Harvey	377
Effects of forage chicory (<i>Cichorium intybus</i>) and perennial ryegrass (<i>Lolium perenne</i>) on methane emissions <i>in vitro</i> and from sheep X.Z. Sun, S.O. Hoskin, S. Muetzel, G. Molano and H. Clark	391
Effects of feeding fresh white clover (<i>Trifolium repens</i>) or perennial ryegrass (<i>Lolium perenne</i>) on enteric methane emissions from sheep K.J. Hammond, S.O. Hoskin, J.L. Burke, G.C. Waghorn, J.P. Koolgaard and S. Muetzel	398

Impacts of herbage mass and sward allowance of perennial ryegrass sampled throughout the growing season on <i>in vitro</i> rumen methane production P.J. Purcell, M. O'Brien, T.M. Boland, M. O'Donovan and P. O'Kiely	405
Enteric methane produced by finisher pigs is affected by dietary crude protein content of barley grain based, but not by corn based, diets J.K.A. Atakora, S. Moehn and R.O. Ball	412
Effects of dietary crude protein and phytase-xylanase supplementation of wheat grain based diets on energy metabolism and enteric methane in growing finishing pigs J.K.A. Atakora, S. Moehn, J.S. Sands and R.O. Ball	422
Methane production of growing and finishing pigs in southern China Z.Y. Ji, Z. Cao, X.D. Liao, Y.B. Wu, J.B. Liang and B. Yu	430
Deriving Value from Manure Through Reduced Greenhouse Gas Emissions	
On farm biogas production: A method to reduce GHG emissions and develop more sustainable livestock operations D.I. Massé, G. Talbot and Y. Gilbert	436
Potential for carbon offsets from anaerobic digesters in livestock production K. Baylis and N.D. Paulson	446
Effect of antibiotics on methane arising from anaerobic digestion of pig manure J.C. Shi, X.D. Liao, Y.B. Wu and J.B. Liang	457
Strategies to mitigate nitrous oxide emissions from land applied manure A.C. VanderZaag, S. Jayasundara and C. Wagner-Riddle	464
Repeated annual use of the nitrification inhibitor dicyandiamide (DCD) does not alter its effectiveness in reducing N ₂ O emissions from cow urine C.A.M. de Klein, K.C. Cameron, H.J. Di, G. Rys, R.M. Monaghan and R.R. Sherlock	480
Nitrous oxide emissions from Chernozemic soils amended with anaerobically digested beef cattle feedlot manure: A laboratory study W.L. Chiyoka, X. Hao, F. Zvomuya and X. Li	492
Ammonia and nitrous oxide interactions: Roles of manure organic matter management S.O. Petersen and S.G. Sommer	503
Manure management: Implications for greenhouse gas emissions D. Chadwick, S. Sommer, R. Thorman, D. Fangueiro, L. Cardenas, B. Amon and T. Misselbrook	514
Effects of mechanical separation on GHG and ammonia emissions from cattle slurry under winter conditions E. Dinuccio, W. Berg and P. Balsari	532
Nitrogen transformations and greenhouse gas emissions during composting of manure from cattle fed diets containing corn dried distillers grains with solubles and condensed tannins X. Hao, M.B. Benke, C. Li, F.J. Larney, K.A. Beauchemin and T.A. McAllister	539
Low greenhouse gas emissions during composting of solid swine manure K.-H. Park, J.H. Jeon, K.H. Jeon, J.H. Kwag and D.Y. Choi	550
Greenhouse gas emissions from swine manure stored at different stack heights H. Dong, Z. Zhu, Z. Zhou, H. Xin and Y. Chen	557
Potential reduction of greenhouse gas emission from swine manure by using a low-protein diet supplemented with synthetic amino acids T. Osada, R. Takada and I. Shinzato	562
Methane emissions from southern High Plains dairy wastewater lagoons in the summer R.W. Todd, N.A. Cole, K.D. Casey, R. Hagevoort and B.W. Auvermann	575
Methane emissions from stored liquid dairy manure in a cold climate A.C. VanderZaag, C. Wagner-Riddle, K.-H. Park and R.J. Gordon	581
Role Modelling in Finding a Balance Between Greenhouse Gas Emissions and Food Production	
Relationships between methane production and milk fatty acid profiles in dairy cattle J. Dijkstra, S.M. van Zijderveld, J.A. Apajalahti, A. Bannink, W.J.J. Gerrits, J.R. Newbold, H.B. Perdok and H. Berends	590
Relationships between odd- and branched-chain fatty acid profiles in milk and calculated enteric methane proportion for lactating dairy cattle J.C. Montoya, A.M. Bhagwat, N. Peiren, S. De Campeneere, B. De Baets and V. Fievez	596
A model of enteric fermentation in dairy cows to estimate methane emission for the Dutch National Inventory Report using the IPCC Tier 3 approach A. Bannink, M.W. van Schijndel and J. Dijkstra	603
Development of a national methane emission inventory for domestic livestock in Saudi Arabia A.A. Aljaloud, T. Yan and A.M. Abdukader	619
Regional inventory of methane and nitrous oxide emission from ruminant livestock in the Basque Country P. Merino, E. Ramirez-Fanlo, H. Arriaga, O. del Hierro, A. Artetxe and M. Viguria	628
A comparative analysis of on-farm greenhouse gas emissions from agricultural enterprises in south eastern Australia N.A. Browne, R.J. Eckard, R. Behrendt and R.S. Kingwell	641
A whole farm systems analysis of greenhouse gas emissions of 60 Tasmanian dairy farms K.M. Christie, R.P. Rawnsley and R.J. Eckard	653
Mitigation of greenhouse gas emissions from beef production in western Canada – Evaluation using farm-based life cycle assessment K.A. Beauchemin, H.H. Janzen, S.M. Little, T.A. McAllister and S.M. McGinn	663

Predictions of enteric methane emissions for various summer pasture and winter feeding strategies for cow calf production G. Legesse, J.A. Small, S.L. Scott, G.H. Crow, H.C. Block, A.W. Alemu, C.D. Robins and E. Kebreab	678
Farm survey used to guide estimates of nitrogen intake and ammonia emissions for beef cattle, including early season grazing and piosphere effects S.C. Sheppard and S. Bittman	688
Effects of genetic line and feeding system on methane emissions from dairy systems M.J. Bell, E. Wall, G. Simm and G. Russell	699
Estimating greenhouse gas emissions from New Zealand dairy systems using a mechanistic whole farm model and inventory methodology P.C. Beukes, P. Gregorini and A.J. Romera	708
Impacts of future climate scenarios on the balance between productivity and total greenhouse gas emissions from pasture based dairy systems in south-eastern Australia B.R. Cullen and R.J. Eckard	721
Impacts of future climate scenarios on nitrous oxide emissions from pasture based dairy systems in south eastern Australia R.J. Eckard and B.R. Cullen	736
Potential effects of animal management and genetic improvement on enteric methane emissions, emissions intensity and productivity of sheep enterprises at Cowra, Australia D.J. Alcock and R.S. Hegarty	749
Rumen stoichiometric models and their contribution and challenges in predicting enteric methane production A.W. Alemu, J. Dijkstra, A. Bannink, J. France and E. Kebreab	761
Livestock and greenhouse gas emissions: The importance of getting the numbers right M. Herrero, P. Gerber, T. Vellinga, T. Garnett, A. Leip, C. Opio, H.J. Westhoek, P.K. Thornton, J. Olesen, N. Hutchings, H. Montgomery, J.-F. Soussana, H. Steinfeld and T. McAllister	779
Towards a Balanced Future	
What place for livestock on a re-greening earth? H.H. Janzen	783